

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A toner composition, comprising a binder resin, a wax, a copolymer and a colorant, wherein the copolymer is a copolymer(A) of [[:]]

~~the copolymer being a copolymer between~~ an α -olefin-maleic anhydride copolymer and a monoester of maleic anhydride monoester acid.

2. (Currently Amended) The toner composition of Claim 1, wherein the copolymer ~~being~~ is a graft copolymer formed by introducing the monoester of maleic anhydride monoester acid into the α -olefin-maleic anhydride copolymer.

3. (Currently Amended) The toner composition of Claim 1, wherein a content of maleic anhydride in the copolymer is 5 to 15 % by weight with respect to all the monomers constituting the copolymer.

4. (Original) The toner composition of Claim 1, wherein an acid value of the copolymer is 80 to 170 KOHmg/g and an ester value of the copolymer is 30 to 60 KOHmg/g.

5. (Original) The toner composition of Claim 1, wherein a melting point of the copolymer is to 60 to 90°C.

6. (Currently Amended) The toner composition of Claim 1, wherein the copolymer has a number-average molecular weight (Mn) is of 600 to 8,000 and a value of weight-average molecular weight (Mw/number-average molecular weight (Mn) is of 1.0 to 1.5.

7. (Currently Amended) The toner composition of Claim 1, ~~wherein a content of~~ further comprising the copolymer is in an amount of 1 to 10 parts by weight with respect to 100 parts by weight of the binder resin.

8. (Currently Amended) The toner composition of Claim 7, ~~wherein a content of~~ further comprising the copolymer is in an amount of 30 to 100 % by weight with respect to the total content of wax.

9. (Original) The toner composition of Claim 1, wherein an acid value of the binder resin is 5 to 50 KOHmg/g.

10. (Original) The toner composition of Claim 1, wherein a softening point of the binder resin is 100 to 130°C.

11. (Original) The toner composition of Claim 1, wherein the binder resin comprises a first polyester-based resin having a softening point of 95 to 115°C and a second polyester-based resin having a softening point of 110 to 130°C.

12. (Original) The toner composition of Claim 11, wherein a weight ratio of the first polyester-based resin and the second polyester-based resin is 40:60 to 20:80.

13. (Currently Amended) The toner composition of Claim 1, ~~wherein a content of~~
further comprising the wax in ~~the toner composition is~~ an amount of 5 to 15 parts by weight
with respect to 100 parts by weight of the binder resin.

14. (Original) The toner composition of Claim 13, wherein the wax comprises an
acid-modified wax having an acid value of 1 to 60 KOHmg/g.

15. (Original) The toner composition of Claim 13, wherein the wax comprises a low
melting point wax having a melting point of 70 to 100°C and a high melting point wax
having a melting point of 120 to 150°C.

16. (Original) The toner composition of Claim 15, wherein the low melting point wax
is a polyethylene wax and the high melting point wax is a polypropylene wax.

17. (Currently Amended) A toner composition, comprising a binder resin, a wax, a
copolymer and a colorant;

the binder resin comprising a polyester resin,

the copolymer being a copolymer of an α -olefin, maleic anhydride and a monoester of
maleic ~~anhydride monoester~~ acid, and
an acid value of the copolymer being 80 to 170 KOHmg/g and an ester value of the
copolymer being 30 to 60 KOHmg/g.

18. (Currently Amended) A toner composition, comprising a binder resin, a wax, a
copolymer, a colorant and an external additive agent,

the binder resin comprising a polyester resin,
the copolymer being a copolymer between an α -olefin-maleic anhydride copolymer
and a monoester of maleic anhydride-monoester acid, and
the external additive agent comprising first inorganic fine particles having a BET
specific surface area of 100 to 300 m²/g and second inorganic fine particles having a BET
specific surface area of 5 to 30 m²/g.

19. (Original) The toner composition of Claim 18, wherein the first inorganic fine
particle is silica and the second inorganic fine particle is titanate.

20. (Original) The toner composition of Claim 18, wherein an amount of addition of
the first inorganic fine particles is 0.3 to 3.0 weight % with respect to the toner particles and
an amount of addition of the second inorganic fine particles is 0.3 to 3.0 weight % with
respect to the toner particles.

21. (New): The toner composition of claim 3, wherein an acid value of the
copolymer is 80 to 170 KOHmg/g and an ester value of the copolymer is 30 to 60 KOHmg/g.

22. (New): The toner composition of claim 3, wherein a melting point of the
copolymer is 60 to 90° C.

23. (New): The toner composition of claim 3, wherein the copolymer has a number-
average molecular weight (Mn) of 600 to 8,000 and a value of weight-average molecular
weight (Mw)/number-average molecular weight (Mn) of 1.0 to 1.5.